

Practitioner's Docket No. U 013551-2

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **PEDRO SAAVEDRA PACHECO**
Serial No.: 09/903,379
Filed: JULY 11, 2001
For: EOLIC MARINE ELECTRICAL GENERATOR

Group No.: 2834
Examiner: --

Assistant Commissioner for Patents
Washington, D. C. 20231

Handwritten:
#5
Drawing
Correction
327 or

**TRANSMITTAL OF FORMAL DRAWING(S)
PRIOR TO NOTICE OF ALLOWANCE**

Attached please find the formal drawings for this application.

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

☒ deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

37 C.F.R. 1.8(a)

37 C.F.R. 1.10*

☒ with sufficient postage as first class mail.

☐ as "Express Mail Post Office to Addressee"
Mailing Label No. _____ (mandatory)

TRANSMISSION

☐ transmitted by facsimile to the Patent and Trademark Office.

Handwritten signature: Regina Ann Loughran
Signature

Date: October 11, 2001

Regina Ann Loughran
(type or print name of person certifying)


***WARNING:** Each paper or fee filed by "Express Mail" **must** have the number of the "Express Mail" mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).
"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will **not** be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.

WARNING: "Facsimile transmissions are not permitted and if submitted will not be accorded a date of receipt" for "(4) Drawings submitted under §§ 1.81, 1.83 through 1.85, 1.152, 1.165, 1.174, 1.437 . . ." 37 C.F.R. 1.6(d)(4).

Reg. No. 30958

Tel. No.: (212) 708-1802

Customer No.: 00140


SIGNATURE OF PRACTITIONER

REGINA ANN LOUGHRAN
(type or print name of practitioner)

P.O. Address

c/o Ladas & Parry
26 West 61 Street
New York, N.Y. 10023

NOTE: "Identifying indicia, if provided, should include the application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application. This information should be placed on the back of each sheet of drawings a minimum distance of 1.5 cm. (5/8 inch) down from the top of the page. In addition, a reference to the application number, or, if an application number has not been assigned, the inventor's name, may be included in the left-hand corner, provided that the reference appears within 1.5 cm. (9/16 inch) from the top of the sheet." 37 C.F.R. 1.84(c).

RECEIVED